


```
RRRRRRRR      TTTTTTTTTT  LL      LL      IIIIII  BBBB88888
RRRRRRRR      TTTTTTTTTT  LL      LL      IIIIII  BBBB88888
RR      RR      TT      TT      LL      LL      II      BB      BB
RR      RR      TT      TT      LL      LL      II      BB      BB
RR      RR      TT      TT      LL      LL      II      BB      BB
RR      RR      TT      TT      LL      LL      II      BB      BB
RRRRRRRR      TT      TT      LL      LL      II      BBBB88888
RRRRRRRR      TT      TT      LL      LL      II      BBBB88888
RR      RR      TT      TT      LL      LL      II      BB      BB
RR      RR      TT      TT      LL      LL      II      BB      BB
RR      RR      TT      TT      LL      LL      II      BB      BB
RR      RR      TT      TT      LL      LL      II      BB      BB
RR      RR      TT      TT      LL      LL      IIIIII  BBBB88888
RR      RR      TT      TT      LLLLLLLLLL  LLLLLLLLLL  IIIIII  BBBB88888
RR      RR      TT      TT      LLLLLLLLLL  LLLLLLLLLL  IIIIII  BBBB88888
                                     ....
                                     ....
                                     ....
                                     ....
```

```
LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLL  IIIIII  SSSSSSSS
LLLLLLLLLL  IIIIII  SSSSSSSS
```


H 5
15-Sep-1984 23:28:23
15-Sep-1984 22:47:16

VAX-11 Bliss-32 V4.0-742
_S255\$DUA28:[LIBRTL.SRC]RTLLIB.REQ;1 Page 1
(1)

STR
1-0

Run-Time Library specific macros and symbols
File: RTLLIB.REQ, Edit: SBL1005

```
*****
*
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.
*
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.
*
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.
*
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*
*****
```

Author: Steven B. Lionel, 16-August-1982

1-001 - Original. SBL 16-August-1982
1-002 - Add LIBGETXXI.R32. SBL 14-Jan-1983
1-003 - Remove LIBGETXXI.R32. It has been replaced with LIBFMTDEF which
is in STARLET. SBL 11-Mar-1983
1-004 - Move LIBFMTDEF back here as it isn't needed in STARLET. SBL 25-May-1983
1-005 - Conditionally include LIBFMTDEF if it isn't already in STARLET.
This is a temporary measure. SBL 27-May-1983

--

+
This file is the master source for RTLLIB.L32.
It contains definitions for macros and symbols used internally to the
Run-Time Library. All symbols defined in RTLLIB must have an appropriate
facility prefix. Only non-language-specific facility definitions should
be included in RTLLIB.
-

SWITCHES ADDRESSING_MODE (EXTERNAL=GENERAL, NONEXTERNAL=WORD_RELATIVE);

LIBRARY 'RTLSTARLE'; ! SYS\$LIBRARY:STARLET.L32

+
Define linkages for LIB\$ routines.
-

REQUIRE 'RTLIN:LIBLNK';

I 5
15-Sep-1984 23:28:23
15-Sep-1984 22:46:26

VAX-11 Bliss-32 V4.0-742
_S255\$DUA28:[LIBRTL.SRC]LIBLNK.REQ;1 Page 2
(1)

STR
1-0

Run-Time Library LIB\$ routine linkages
File: LIBLNK.REQ, Edit: SBL1001

```
*****
*
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.
*
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.
*
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.
*
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*
*****
```

Author: Steven B. Lionel, 16-August-1982

1-001 - Original. SBL 16-August-1982

+ This file contains linkage definitions for LIB\$ procedures.
- The linkage name is the routine name suffixed with "\$LINKAGE".

```
LINKAGE
LIB$ANALYZE_SDESC_R2$LINKAGE = ! LIB$ANALYZE_SDESC_R2
JSB (
    REGISTER=0; ! Descriptor address
    REGISTER=1; ! Returned length word
    REGISTER=2; ! Returned string pointer
    NOTUSED (3,4,5,6,7,8,9,10,11),
LIB$SCOPY_DXDX6$LINKAGE = ! LIB$SCOPY_DXDX6
JSB (
    REGISTER=0; ! Address of source descriptor
    REGISTER=1; ! Address of destination descriptor
    NOPRESERVE (2,3,4,5,6) NOTUSED (7,8,9,10,11),
LIB$SCOPY_R_DX6$LINKAGE = ! LIB$SCOPY_R_DX6
JSB (
    REGISTER=0; ! Length (word) of source
    REGISTER=1; ! Address of source
    REGISTER=2; ! Address of destination descriptor
    NOPRESERVE (2,3,4,5,6) NOTUSED (7,8,9,10,11),
```


J 5
15-Sep-1984 23:28:23
15-Sep-1984 22:46:26

VAX-11 Bliss-32 V4.0-742 Page 3
_S255\$DUA28:[LIBRTL.SRC]LIBLNK.REQ;1 (1)

```
: R0112 0 LIB$SFREE1_DD6$LINKAGE = ! LIB$SFREE1_DD6
: R0113 0 JSB (
: R0114 0 REGISTER=0): ! Address of descriptor
: R0115 0 NOPRESERVE (2,3,4,5,6) NOTUSED (7,8,9,10,11),
: R0116 0
: R0117 0 LIB$SFREEN_DDR6$LINKAGE = ! LIB$SFREEN_DDR6
: R0118 0 JSB (
: R0119 0 REGISTER=0, ! Number of strings to deallocate
: R0120 0 REGISTER=1): ! Address array of descriptors
: R0121 0 NOPRESERVE (2,3,4,5,6) NOTUSED (7,8,9,10,11),
: R0122 0
: R0123 0 LIB$SGET1_DD_R6$LINKAGE = ! LIB$SGET1_DD_R6
: R0124 0 JSB (
: R0125 0 REGISTER=0, ! Length (word) of string to allocate
: R0126 0 REGISTER=1): ! Address of descriptor
: R0127 0 NOPRESERVE (2,3,4,5,6) NOTUSED (7,8,9,10,11);
: R0128 0
: R0129 0 ! End of file LIBLNK.REQ
```

STR
1-0

K 5
15-Sep-1984 23:28:23
15-Sep-1984 22:47:16

VAX-11 Bliss-32 V4.0-742
_S255SDUA28:[LIBRTL.SRC]RTLLIB.REQ;1 Page (1)

```
0130 0  
0131 0  
0132 0  
0133 0  
0134 0  
0135 0  
+ Define macros for LIB$ routines.  
-  
REQUIRE 'RTLIN:LIBMACROS';
```

STR
1-0

L 5
15-Sep-1984 23:28:23
15-Sep-1984 22:46:30

VAX-11 Bliss-32 V4.0-742
[LIBRTL.SRC]LIBMACROS.REQ;1

Page 5
(1)

STR
1-0

R0136 0
R0137 0
R0138 0
R0139 0
R0140 0
R0141 0
R0142 0
R0143 0
R0144 0
R0145 0
R0146 0
R0147 0
R0148 0
R0149 0
R0150 0
R0151 0
R0152 0
R0153 0
R0154 0
R0155 0
R0156 0
R0157 0
R0158 0
R0159 0
R0160 0
R0161 0
R0162 0
R0163 0
R0164 0
R0165 0
R0166 0
R0167 0
R0168 0
R0169 0
R0170 0
R0171 0
R0172 0
R0173 0
R0174 0
R0175 0

Macros for the Run-Time Library LIB\$ facility
File: LIBMACROS.REQ, Edit: SBL1003

```
*****
*
*  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
*  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
*  ALL RIGHTS RESERVED.
*
*  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
*  ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
*  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
*  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
*  OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
*  TRANSFERRED.
*
*  THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
*  AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
*  CORPORATION.
*
*  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
*  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*
*****
```

Author: Steven B. Lionel, 16-August-1982

1-001 - Original. SBL 16-August-1982
1-002 - Add macros to read, write and copy with autoincrement.
SBL 12-Apr-1983
1-003 - Add \$LIB\$MOVQ. SBL 17-June-1983

+ This file contains macros which are available to any BLISS module that
REQUIRES LIBPROLOG.REQ. Macros in this file are useful to any LIB\$
module written in BLISS. All macros defined MUST have names that begin
with "\$LIB\$".
-

```

: R0176 0
: R0177 0
: R0178 0
: R0179 0
: R0180 0
: R0181 0
: R0182 0
: R0183 0
: R0184 0
: R0185 0
: R0186 0
: R0187 0
: R0188 0
: R0189 0
: R0190 0
: MR0191 0
: MR0192 0
: MR0193 0
: MR0194 0
: MR0195 0
: MR0196 0
: MR0197 0
: MR0198 0
: MR0199 0
: MR0200 0
: MR0201 0
: MR0202 0
: MR0203 0
: MR0204 0
: MR0205 0
: MR0206 0
: MR0207 0
: MR0208 0
: MR0209 0
: MR0210 0
: MR0211 0
: MR0212 0
: MR0213 0
: MR0214 0
: MR0215 0
: MR0216 0
: MR0217 0
: MR0218 0
: MR0219 0
: R0220 0

+ $LIB$VALIDATE_ARGCOUNT
Macro used to check that a LIB$ procedure was called with the correct
number of arguments. If the test fails, the procedure returns with the
failure status LIB$_WRONUMARG.
Format:
$LIB$VALIDATE_ARGCOUNT (lo, hi);
lo = Lowest number of arguments which are valid (0-255)
hi = Highest number of arguments which are valid (0-255)
-
MACRO $LIB$VALIDATE_ARGCOUNT (lo, hi) =
BEGIN
BUILTIN
ACTUALCOUNT;
EXTERNAL LITERAL
LIB$_WRONUMARG;

%IF lo NEQ hi
%THEN
%IF lo NEQ 0
%THEN
LOCAL
DIFF: BYTE;
DIFF = ACTUALCOUNT () - lo;
IF .DIFF GTRU (hi - lo)
THEN
RETURN LIB$_WRONUMARG;
%ELSE
IF ACTUALCOUNT () GTRU hi
THEN
RETURN LIB$_WRONUMARG;
%FI

%ELSE
IF ACTUALCOUNT () NEQU lo
THEN
RETURN LIB$_WRONUMARG;
%FI

END %;

```



```

R0221 0
R0222 0
R0223 0
R0224 0
R0225 0
R0226 0
R0227 0
R0228 0
R0229 0
R0230 0
R0231 0
R0232 0
R0233 0
R0234 0
R0235 0
R0236 0
MR0237 0
R0238 0
R0239 0
R0240 0
R0241 0
R0242 0
R0243 0
R0244 0
MR0245 0
MR0246 0
MR0247 0
MR0248 0
R0249 0
R0250 0
R0251 0
R0252 0

!+
! Macros to read, write and copy with autoincrement.
!-

MACRO
$LIB$RBYTE_A(P) = (P = .P+1; .(.P-1)<0,8>) %,
$LIB$RWORD_A(P) = (P = .P+2; .(.P-2)<0,16>) %,
$LIB$RLONG_A(P) = (P = .P+4; .(.P-4)<0,32>) %,

$LIB$WBYTE_A(P) = (P=.P+1; .P-1)<0,8> %,
$LIB$WORD_A(P) = (P=.P+2; .P-2)<0,16> %,
$LIB$WLONG_A(P) = (P=.P+4; .P-4)<0,32> %,

$LIB$COPY_BYTE_A (S,D) = ($LIB$WBYTE_A(D)=$LIB$RBYTE_A(S)) %,
$LIB$COPY_WORD_A (S,D) = ($LIB$WORD_A(D)=$LIB$RWORD_A(S)) %,
$LIB$COPY_LONG_A (S,D) = ($LIB$WLONG_A(D)=$LIB$RLONG_A(S)) %,
$LIB$COPY_QUAD_A (S,D) = ((.D)<0,32>=.(.S)<0,32>;
(.D+4)<0,32>=.(.S+4)<0,32>; D=.D+8; S=.S+8) %;

!+
! Macro to move a quadword with a MOVQ instruction.
!-

MACRO
$LIB$MOVQ (S,D) =
    BEGIN
    (D) = .(S);
    ((D)+4) = .((S)+4);
    END %;

! End of file LIBMACROS.REQ

```

B 6
15-Sep-1984 23:28:23
15-Sep-1984 22:47:16

VAX-11 Bliss-32 V4.0-742
_S255\$DUA28:[LIBRTL.SRC]RTLLIB.REQ;1 Page 8 (1)

0253 0
0254 0
0255 0
0256 0
0257 0
L 0258 0
0259 0
0260 0

!+ Define item format codes for LIB\$GETxxI procedures.
!-

%IF NOT %DECLARED(LIB\$K_FMT_STRING)
%THEN
REQUIRE 'RTLML:LIBFMTDEF';

C 6
15-Sep-1984 23:28:23
15-Sep-1984 22:51:09

VAX-11 Bliss-32 V4.0-742
[LIBRTL.OBJ]LIBFMTDEF.REQ;1

Page 9
(1)

```
: R0261 0 : *****
: R0262 0 : Created 15-SEP-1984 22:48:43 by VAX-11 SDL V2.0 Source: 15-SEP-1984 22:46:21 $255$DUA28:[LIBRTL.SRC]LIBF
: R0263 0 : *****
: R0264 0 :
: R0265 0 :
: R0266 0 : *** MODULE $LIBFMTDEF ***
: R0267 0 : Item formatting codes used by LIB$FORMAT ITEM
: R0268 0 : literal LIB$K_FMT_STRING = 0; Value is a string
: R0269 0 : literal LIB$K_FMT_ASCIC = 1; Value is a counted string
: R0270 0 : literal LIB$K_FMT_HEXSTRING = 2; Value is a hex string of arbitrary length
: R0271 0 : literal LIB$K_FMT_PSTRING = 3; Value is a blank-padded string
: R0272 0 : Reserved for string expansion
: R0273 0 : literal LIB$K_FMT_BINARY = 8; Value is a longword integer
: R0274 0 : literal LIB$K_FMT_HEX = 9; Value is a hex-formatted integer
: R0275 0 : literal LIB$K_FMT_BOOLEAN = 10; Value is a bit; use boolean for string
: R0276 0 : literal LIB$K_FMT_DATE = 11; Value is a date
: R0277 0 : literal LIB$K_FMT_PRIVILEGE = 12; Value is a privilege mask
: R0278 0 : literal LIB$K_FMT_UIC = 13; Value is a UIC
: R0279 0 : literal LIB$K_FMT_PROT = 14; Value is a protection specifier
: R0280 0 : literal LIB$K_FMT_VPROT = 15; Value is a volume protection specifier
: R0281 0 : literal LIB$K_FMT_ACP = 16; Value is an ACP type
: R0282 0 : literal LIB$K_FMT_STATE = 17; Value is a process state
: R0283 0 : literal LIB$K_FMT_MODE = 18; Value is a process mode
: R0284 0 : literal LIB$K_FMT_MIN = 0;
: R0285 0 : literal LIB$K_FMT_MAX = 18;
: R0286 0 : literal LIB$K_FMT_MAXSTRING = 3;
```

D 6
15-Sep-1984 23:28:23
15-Sep-1984 22:47:16

VAX-11 Bliss-32 V4.0-742
_\$255\$DUA28:[LIBRTL.SRC]RTLLIB.REQ;1 Page 10
(1)

: 0287 0 %FI
: 0288 0
: 0289 0 ! End of file RTLLIB.REQ

Library Statistics

File	----- Total	Symbols Loaded	----- Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[SYSLIB]STARLET.L32;1	9776	0	0	581	00:01.0

COMMAND QUALIFIERS

: BLISS/LIBRARY=LIB\$:/LIST=LISS\$:/SOURCE=REQUIRE SRC\$:RTLLIB
: Run Time: 00:03.9
: Elapsed Time: 00:05.8
: Lines/CPU Min: 4434
: Lexemes/CPU-Min: 14961
: Memory Used: 32 pages
: Library Precompilation Complete

0213 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

